ELSEVIER

Discrete Applied Mathematics 92 (1999) 253–254

DISCRETE APPLIED MATHEMATICS

Author Index

Volume 92 (1999)

Arbib, C., D. Pacciarelli and S. Smriglio, A three-dimensional matching model for perishable production scheduling (1) 1–15
Brandes, U., W. Schlickenrieder, G. Neyer, D. Wagner and K. Weihe, A software package of algorithms and heuristics for disjoint paths in *Planar Networks* (2–3) 91–110
Caprara, A. and J.J.S. González, Separating lifted odd-hole inequalities to solve the index selection problem (2–3) 111–134
Chang, S.Y. and H.-C. Hwang, The worst-case analysis of the MULTIFIT algorithm for scheduling nonsimultaneous parallel machines (2–3) 135–147
Dassow, J. and G. Păun, On the regularity of languages generated by context-free evolutionary grammars (2–3) 205–209
Enomoto, H., M.S. Miyauchi and K. Ota, Lower bounds for the number of edge-crossings over the spine in a topological book embedding of a graph (2–3) 149–155
Fujishige, S. and S. Iwata, Minimizing a submodular function arising from a concave function (2–3) 211–215
González, J.J.S., see A. Caprara (2–3) 111–134
Guruswami, V., Maximum cut on line and total graphs (2–3) 217–221
Hwang, H.-C., see S.Y. Chang (2–3) 135–147
Iwata, S., see S. Fujishige (2–3) 211–215
Jackson, J., E. Shamir and C. Shwartzman, Learning with queries corrupted by classification noise (2–3) 157–175
Li, H., see F. Zhang (1) 71–84
Miyakawa, M., A. Nozaki, G. Pogosyan and I.G. Rosenberg, A map from the lower-half of the n-cube onto the $(n-1)$-cube which preserves intersecting antichains (2–3) 223–228
Miyauchi, M.S., see H. Enomoto (2–3) 149–155
Mosca, R., Stable sets in certain P_6-free graphs (2–3) 177–191
Neyer, G., see U. Brandes (2–3) 91–110
Nozaki, A., see M. Miyakawa (2–3) 223–228
Ota, K., see H. Enomoto (2–3) 149–155
Pacciarelli, D., see C. Arbib (1) 1–15
Plesnik, J., Constrained weighted matchings and edge coverings in graphs (2–3) 229–241
Pogosyan, G., see M. Miyakawa (2–3) 223–228
Păun, G., see J. Dassow (2–3) 205–209
Raffinot, M., Asymptotic estimation of the average number of terminal states in DAWGs (2–3) 193–203
Rosenberg, I.G., see M. Miyakawa (2–3) 223–228
Schlickenrieder, W., see U. Brandes (2–3) 91–110
Shamir, E., see J. Jackson (2–3) 157–175
Shwartzman, C., see J. Jackson (2–3) 157–175
Sitters, R.A., A short proof of a conjecture on the T_r-choice number of even cycles (2–3) 243–246
Smriglio, S., see C. Arbib (1) 1–15

Elsevier Science B.V.

Tallini, L.G. and U. Vaccaro, Efficient m-ary balanced codes (1) 17– 56
Tian, F., B. Wei and L. Zhang, Hamiltonicity in 3-domination-critical graphs with $\alpha = \delta + 2$ (1) 57– 70
Vaccaro, U., see L.G. Tallini (1) 17– 56
Wagner, D., see U. Brandes (2–3) 91–110
Wei, B., see F. Tian (1) 57– 70
Weihe, K., see U. Brandes (2–3) 91–110
Woeginger, G.J., Sensitivity analysis for knapsack problems: another negative result (2–3) 247–251
Zhang, F. and H. Li, On acyclic conjugated molecules with minimal energies (1) 71– 84
Zhang, L., see F. Tian (1) 57– 70